


# File:Chapter-24 Coordination Chemistry (Optical isomerism) pp197-203.pdf

From WikiEducator



Chapter-24\_Coordination\_Chemistry\_(Optical\_isomerism)\_pp197-203.pdf (0 × 0 pixels, file size: 1.21 MB, MIME type: application/pdf)

## Summary

**Description** Optical activity is the ability of a chiral molecule to rotate the plane of polarized light, measured by a polarimeter. A chiral molecule (optically active) does not have any plane of symmetry or will produce a non-superimposable mirror image. If a molecule possesses any plane of symmetry or will produce super imposable mirror image is to be treated as an achiral molecule (optically inactive).

Non-superimposable mirror image is the essential condition for coordination compounds to become optically active (chiral). Optical isomers are capable to rotate plane-polarized light as right side or clockwise called dextrorotatory (d) and left side or anticlockwise called laevorotatory (l). An equilibrium mixture (1: 1) of d and l isomers that give a net-zero rotation is called a racemic mixture.

Isomers are mirror images of each other and do not superimposable with each other (called enantiomers) and do not have a plane of symmetry, so they are called chiral compounds or optically active compounds.

**Source** Own work

**Date** 2022-03-14 22:05:29

**Author** Arijit Das

**Permission** See below.

## Licensing

**I, the copyright holder of this work, publish it under the following license:**

Licensed under the Creative Commons Attribution-Share Alike 3.0 Unported (<http://creativecommons.org/licenses/by-sa/3.0/deed.en>) license, allowing you the freedom to reuse provided proper attribution is maintained and the requirement to distribute any modifications under the same, similar, or compatible terms.




## File history

Click on a date/time to view the file as it appeared at that time.




*i.e.* it is asymmetric and consequently optically active and this complex should give rise to optical isomer but the tetrahedral shape of this complex is not optically active.



square planar structure show optical activity


**(b) Optical isomerism in tetrahedral complexes:** The tetrahedral molecule having group  $[Mabcd]$  type show optical activity as:



both are enantiomers


**Two optical isomers of tetrahedral complex  $[Mabcd]$**

e.g.  $[\text{As}(\text{CH}_3)(\text{C}_2\text{H}_5)\text{S}(\text{C}_6\text{H}_4\text{COO})]^{2+}$  shows optical isomerism as



Mirror plane  
both are isomers


It is found that the compounds having two unsymmetric bidentate ligands are easy to resolve into optical isomers such as compounds of Be(II), Zn(II), B(III). Compound bis(benzoylacetato)beryllium(II) shows two forms.



## 2. Optical isomerism in 6-co-ordination compounds:


(a)  $[Ma_2b_2c_2]^{n\pm}$  type –

e.g.  $[\text{Pt}(\text{NH}_3)_2(\text{CH}_3)_2(\text{C}_2\text{H}_5)_2]$





b)  $[Mabcdef]^{n\pm}$  type–

e.g.  $[\text{Pt}(\text{Py})(\text{NH}_3)(\text{NO}_2)(\text{Cl})(\text{Br})(\text{I})]$




c)  $[M(AA)_3]^{n\pm}$  type – Here,  $AA$  = symmetrical bidentate chelating ligand.

e.g.  $[\text{Cr}(\text{C}_2\text{O}_4)_3]^{3+}$ ,  $[\text{Co}(\text{en})_3]^{3+}$ ,  $[\text{Co}(\text{Ph})_3]^{3+}$ ,  $[\text{Pt}(\text{en})_3]^{4+}$  etc.




d)  $[M(AA)_2(BB)]^{n\pm}$  type –  
e.g.  $[\text{Co}(\text{en})_2(\text{C}_2\text{O}_4)]^+$



cis-form


e)  $[M(AA)_2a_2]^{n\pm}$  type – Here,  $AA$  = bidentate chelating agent,  $a$  = unidentate ligand  
e.g.  $[\text{Co}(\text{en})_2\text{Cl}_2]^+$



*l*-form  
cis-form

*d*-form

f)  $[M(AA)_2ab]^{n\pm}$  type – Here,  $AA$  = bidentate ligand,  $a$ ,  $b$  = monodentate ligand.  
e.g.  $[\text{Co}(\text{en})_2(\text{NH}_3)(\text{Cl})]^{2+}$



*d*-form

*l*-form

Meso-form


Meso-form (*trans* form) contains vertical plane of symmetry and is optically inactive (achiral).

## Related Questions

Q.1. The complex that can show optical activity is

- a)  $trans-[Cr(Cl_2)(ox)_2]^{3-}$   
 b)  $trans-[Fe(NH_3)_2(CN)_4]^-$   
 c)  $cis-[Fe(NH_3)_2(CN)_4]^-$   
 d)  $cis-[CrCl_2(ox)_2]^{3-}$  (ox = oxalate)

**Ans.** (d)




So, option (d) is correct.

**Q.2.** Consider the complex ions,  $trans-[Co(en)_2Cl_2]^+$  (*A*) and  $cis-[Co(en)_2Cl_2]^+$  (*B*). The correct statement regarding them is

- both (*A*) and (*B*) cannot be optically active
- (*A*) can be optically active, but (*B*) cannot be optically active
- both (*A*) and (*B*) can be optically active
- (*A*) cannot be optically active, but (*B*) can be optically active


**Ans.** (d)

(*A*)  $trans-[Co(en)_2Cl_2]^+$





(*A*) is a *trans*-form and shows plane of symmetry. It will produce superimposable mirror image which makes it optically inactive (not optically active).

(*B*)  $cis-[Co(en)_2Cl_2]^+$



*cis*-form does not contain any plane of symmetry and it will produce non-superimposable mirror image which makes it optically active.

**Q.3.** The one that will show optical activity is (en = ethane – 1, 2-diamine)



**Ans. (c)**

Optical activity is the ability of a chiral molecule to rotate the plane of polarized light, measured by a polarimeter. A chiral molecule does not have any plane of symmetry or will produce non-superimposable mirror image. If a molecule possesses any plane of symmetry or will produce superimposable mirror image is to be treated as an achiral molecule.

Here, options (a), (b) and (d) are trans form and will produce superimposable mirror image. Hence these are achiral (optically inactive). Only option (c), cis form, will produce non-superimposable mirror image and is chiral (optically active).

**Reference Books:**

1. *Introduction to Coordination Chemistry*, Geoffrey A. Lawrance
  2. *Coordination chemistry*, Joan Ribas Gispert
  3. *Coordination Chemistry, 20: Invited Lectures Presented at the 20th International Conference on Coordination Chemistry, Calcutta, India, 10-14 December 1979*, D. Banerjea
  4. *Comprehensive Coordination Chemistry III*, Gerard Parkin, Edwin C Constable, Lawrence Que
  5. [https://chem.libretexts.org/Bookshelves/Inorganic\\_Chemistry/Supplemental\\_Modules\\_and\\_Websites\\_\(Inorganic\\_Chemistry\)/Coordination\\_Chemistry/Complex\\_Ion\\_Equilibria/Stability\\_of\\_Metal\\_Complexes\\_and\\_Chelation](https://chem.libretexts.org/Bookshelves/Inorganic_Chemistry/Supplemental_Modules_and_Websites_(Inorganic_Chemistry)/Coordination_Chemistry/Complex_Ion_Equilibria/Stability_of_Metal_Complexes_and_Chelation)
-